

BharatVed Cancer Formulation Recommended Dosage

Cancer Name	Immunotone	Immunotone Plus	Cancertame	Oncotame	Oncotame Plus	Notes
Adenoid Cystic Carcinoma (ACC)	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Adrenal Cancer/Adrenal Cortex Carcinoma (ACC)/Adrenocortical Cancer	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Anal Cancer	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Appendix Cancer/Appendiceal Cancer	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Astrocytoma Cancer	X	X	Grade 3: 2 BD Grade 4: 2 TDS Recurrence/Relapse: 2 TDS	Grade 3: 1 BD Grade 4: 2 BD Recurrence/Relapse: 2 BD	Grade 3: OTP not recommended Grade 4: 1 BD Recurrence/Relapse: 1 BD	
Bile Duct Cancer (Cholangiocarcinoma)	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: OTP not recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Bladder Cancer/Urothelial Carcinoma	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	Consider TURBT
Bone Cancer/Bone Neoplasm/Osteogenic Sarcoma/Osteochondroma/Osteoblastoma/Enchondroma/Adamantinoma	X	1 BD	2 TDS	1 BD	X	Do not consider grading or staging, follow the advised dosage
Brain Stem Glioma	X	X	Grade 3: 2 BD Grade 4: 2 TDS Recurrence/Relapse: 2 TDS	Grade 3: 1 BD Grade 4: 2 BD Recurrence/Relapse: 2 BD	Grade 3: OTP not recommended Grade 4: 1 BD Recurrence/Relapse: 1 BD	
Brain tumor/Cerebral Tumor/Choroid Plexus Carcinoma/Craniopharyngioma/Ependymoma/Glioblastoma Multiforme (GBM)/Glioma/Medulloblastoma/Meningioma/Oligodendroglioma/Pediatric Brain Tumors/Pineoblastoma/Pituitary Tumors	X	X	Grade 3: 2 BD Grade 4: 2 TDS Recurrence/Relapse: 2 TDS	Grade 3: 1 BD Grade 4: 2 BD Recurrence/Relapse: 2 BD	Grade 3: OTP not recommended Grade 4: 1 BD Recurrence/Relapse: 1 BD	Consider Age Factor
Breast Cancer/Ductal Carcinoma in Situ (DCIS)/Invasive Lobular Carcinoma/Lobular Carcinoma in Situ (LCIS)/Recurrent Breast Cancer/Breast Cancer (Men)/Male Breast Cancer	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	OTP can be given in terminal stages to provide a prolonged quality life, dosage would be 1 BD

BharatVed Cancer Formulation Recommended Dosage

Cancer Name	Immunotone	Immunotone Plus	Cancertame	Oncotame	Oncotame Plus	Notes
Central Nervous System Tumours (CNS Tumor) /Medulloblastoma/Primitive Neuroectodermal Tumors (PNETs)/ Brain Stem Glioma/Craniopharyngioma/Meningioma	X	X	Grade 3: 2 BD Grade 4: 2 TDS Recurrence/Relapse: 2 TDS	Grade 3: 1 BD Grade 4: 2 BD Recurrence/Relapse: 2 BD	Grade 3: OTP not recommended Grade 4: 1 BD Recurrence/Relapse: 1 BD	
Cervical Cancer/Cervix Cancer	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Colon Cancer/Bowel Cancer/Rectal Cancer/Colorectal Cancer (CRC)	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Craniopharyngioma/Rathke's Pouch Tumor/Craniopharyngeal Duct Tumor	X	X	Low Grade: 2 BD Recurrence/Relapse: 2 TDS	Low Grade: 1 BD Recurrence/Relapse: 2 BD	Low Grade: OTP not recommended Recurrence/Relapse: 1 BD	
Ependymoma/Malignant Ependymoma/Anaplastic Ependymoma/Myxopapillary Ependymoma/Subependymoma	X	X	Grade 1: 1 BD Grade 2: 2 BD Grade 3: 2 TDS Recurrence/Relapse: 2 TDS	Grade 1: OTH not recommended Grade 2: 1 BD Grade 3: 2 BD Recurrence/Relapse: 2 BD	Grade 1: OTP not recommended Grade 2: OTP not recommended Grade 3: 1 BD Recurrence/Relapse: 1 BD	
Esophageal Cancer/Oesophageal Cancer	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Ewing Sarcoma/Ewing's Sarcoma	X	1 BD	2 TDS	1 BD	X	Do not consider grading or staging, follow the advised dosage
Eye Cancer/Intraocular Cancer/Intraocular Melanoma/Melanoma of the Eye/Lymphoma of the Eye/Kaposi's Sarcoma of the Eye/Retinoblastoma/Eyelid Cancer	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: OTP not recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Gallbladder Cancer/Carcinoma of Gallbladder	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Ganglioglioma/Gangliocytoma/Ganglioneuroma/Ganglioneuromas/Ganglion Cell Tumor/ Ganglioneuroblastoma/Neuroastrocytoma/Glioma Brain Tumour	X	X	Grade 1: 1 BD Grade 2: 2 BD Grade 3: 2 TDS Grade 4: 2 TDS Recurrence/Relapse: 2 TDS	Grade 1: OTH not recommended Grade 2: 1 BD Grade 3: 2 BD Grade 4: 2 BD Recurrence/Relapse: 2 BD	Grade 1: OTP not recommended Grade 2: OTP not recommended Grade 3: 1 BD Grade 4: 2 BD Recurrence/Relapse: 1 BD	
Gastrointestinal Stromal Tumor (GIST)	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	

BharatVed Cancer Formulation Recommended Dosage

Cancer Name	Immunotone	Immunotone Plus	Cancertame	Oncotame	Oncotame Plus	Notes
Head and Neck Cancer (Laryngeal and hypopharyngeal cancer/Nasal cavity and paranasal sinus cancer/ Nasopharyngeal cancer/Oral and oropharyngeal cancer/Throat Cancer)	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: OTP not recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Kidney Cancer/Renal Cell Carcinoma (RCC)	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Lacrimal Gland Tumor (ACC)	X	X	Localized: 1 BD Metastatic: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2 TDS	Localized: 1 BD Metastatic: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Localized: OTP not recommended Metastatic: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	Usually very aggressive and not having the best prognosis
Laryngeal and Hypopharyngeal Cancer	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: OTP not recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Liver Cancer/Hepatic Carcinoma/Hepatocellular Carcinoma	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: OTP not recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Lung cancer (Small Cell/Non-Small Cell)/Carcinoma of Lung	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: OTP not recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Hodgkin's Lymphoma/Cutaneous B-Cell Lymphoma	X	2 BD	2 TDS	X	X	
Non-Hodgkin's Lymphoma (NHL)/Follicular Lymphoma	X	2 BD	2 TDS	X	X	
Mastocytosis - In order to prevent cancer, not cure mastocytosis	2 BD	X	1 BD	X	X	
Medulloblastoma/Embryonal tumors	X	X	2 TDS	2 BD	1 BD	Consider Age Factor
Melanoma/Skin cancer/Malignant Melanoma	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Meningioma	X	X	Grade 1: 1 BD Grade 2: 2 BD Grade 3: 2 TDS Recurrence/Relapse: 2 TDS	Grade 1: OTH not recommended Grade 2: 1 BD Grade 3: 2 BD Recurrence/Relapse: 2 BD	Grade 1: OTP not recommended Grade 2: OTP not recommended Grade 3: 1 BD Recurrence/Relapse: 1 BD	
Malignant Mesothelioma	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Multiple Myeloma	X	2 BD	2 TDS	X	X	

BharatVed Cancer Formulation Recommended Dosage

Cancer Name	Immunotone	Immunotone Plus	Cancertame	Oncotame	Oncotame Plus	Notes
Neuroblastoma (NB)	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Stage 4S: 1 BD Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Stage 4S: X Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: OTP not recommended Stage 3: OTP not recommended Stage 4: 1 BD Stage 4S: X Recurrence: OTP not recommended Recurrence with metastases: 1 BD	Stage 4S patient dose has to be administered carefully due to age of the patient
Neuroendocrine Tumors (NETs)	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	If surgery is not possible during Stage II then only prescribe Oncotame in a dose of 1 BD
Neurofibromatosis (NF)(Type 1/Type 2) - In order to prevent cancer, not cure NF	X	X	2 BD	X	X	
Oral cancer/Oral Cavity Cancer/Mouth Cancer/Buccal Mucosa Cancer/Lip Cancer/ Tongue Cancer/ Carcinoma of the Cheek/Carcinoma of the Lip/Carcinoma of the Tongue	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Osteosarcoma/Osteogenic Sarcoma/Chondrosarcoma/Fibrosarcoma/Synovial sarcoma	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: Surgery Recommended Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: Surgery Recommended Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: Surgery Recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Ovarian Cancer	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Pancreatic Cancer	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: OTP not recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Parathyroid Cancer/Parathyroid Gland Cancer	X	X	Localized: 1 BD Metastatic: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Localized: Oncotame not recommended Metastatic: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Localized: OTP not recommended Metastatic: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Periapillary Carcinoma	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Peritoneal Carcinoma/Carcinomatosis	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: OTP not recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	Carcinomatosis cases will be treated as Stage IV always OTP only to be prescribed in case of Carcinomatosis

BharatVed Cancer Formulation Recommended Dosage

Cancer Name	Immunotone	Immunotone Plus	Cancertame	Ocotame	Ocotame Plus	Notes
Prostate Cancer/Prostatic Carcinoma	X	X	Localized & Gleason score less than 7: Surgery Recommended Gleason score equal to 7, both 4+3 and 3+4: 2 BD Gleason score more than 7: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Localized & Gleason score less than 7: Oncotame not recommended Gleason score equal to 7, both 4+3 and 3+4: 1 BD Gleason score more than 7: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Localized & Gleason score less than 7: OTP not recommended Gleason score equal to 7, both 4+3 and 3+4: OTP not recommended Gleason score more than 7: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	
Penile Cancer	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	Patients who are not willing to opt for surgery even in stage 1 should be given only Oncotame in 1 BD dosage
Pheochromocytoma/Chromaffin Cell Tumor	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Pituitary Gland Tumor/Mixed Somatotroph/Lactotroph Adenoma/Pituitary Carcinomas/Corticotroph Adenomas/Gonadotroph Adenomas/Thyrotroph Adenomas/Plurihormonal Adenomas/Null Cell Adenomas	X	X	Benign & Localized: 2 BD Malignant: 2 TDS	Benign & Localized: 1 BD Malignant: 2 BD	X	Surgery might be opted for and tapering of medicine can be done once the cancer is eradicated completely
Retinoblastoma	X	X	Intraocular: 2 BD Extraocular: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2 TDS	Intraocular: 1 BD Extraocular: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	If surgery is possible especially in group A, B, C of Intraocular and Stage I & II of extraocular then opt for surgery instead Consider Age Factor
Rhabdomyosarcoma (RMS)	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	Stage 1: Surgery Recommended Stage 2: OTP not recommended Stage 3: OTP not recommended Stage 4: 1 BD Recurrence: OTP not recommended Recurrence with metastases: 1 BD	Consider site of tumour, if starting at unfavourable location such as bladder then dosage to be given accordingly Consider Age Factor
Soft Tissue Sarcoma/Angiosarcoma/Leiomyosarcoma/Liposarcoma/Malignant Peripheral Nerve Sheath Tumors (MPNST)/Myxofibrosarcoma/Rhabdomyosarcoma/Solitary Fibrous Tumor/Synovial	X	1 BD	2 TDS	1 BD	X	Do not consider grading or staging, follow the advised dosage
Small Bowel Cancer/Small Intestine Cancer	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Stomach Cancer/Gastric Cancer/Gastric Carcinoma including Signet Ring Cell Carcinoma	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncotame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Testicular Cancer/Malignant Neoplasm of Testis	X	X	Stage 1: Surgery Recommended Stage 2: 2 BD Stage 3: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	Ignore sub staging, follow TNM staging as much as possible

BharatVed Cancer Formulation Recommended Dosage

Cancer Name	Immunotone	Immunotone Plus	Cancertame	Oncotame	Oncotame Plus	Notes
Thymoma and Thymic Carcinoma	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncolame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Thyroid Cancer/Papillary Thyroid Cancer/Follicular Thyroid Cancer/Anaplastic Thyroid Cancer/Medullary Thyroid Cancer/Thyroid Lymphoma/Thyroid Sarcoma	X	X	Stage 1: Surgery Recommended Stage 2: 1 BD Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Oncolame not recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Uterine Cancer/ Endometrial Cancer/Womb Cancer	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	If hysterectomy is possible then opt for it and post surgery medicine can be taken to prevent recurrence. If hysterectomy is not possible then treatment can be given
Vaginal Cancer/Vaginal Squamous Cell Carcinoma/Vaginal Adenocarcinoma/Vaginal Melanoma/Vaginal Sarcoma	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Vulvar Cancer/Valval Cancer	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	
Wilms Tumor/Nephroblastoma	X	X	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 2 BD Stage 4: 2 TDS Recurrence: 2 BD Recurrence with metastases: 2TDS	Stage 1: Surgery Recommended Stage 2: Surgery Recommended Stage 3: 1 BD Stage 4: 2 BD Recurrence: 1 BD Recurrence with metastases: 2 BD	X	Ignore Stage V process, if both kidney have cancer then the more advanced stage will regulate how treatment is given
BLOOD CANCER/LEUKEMIAS						
Acute Lymphocytic Leukemia (ALL)/Blood Cancer	X	2 BD	2 TDS	X	X	
Acute Myelogenous Leukemia (AML)/Blood Cancer	X	M0 - M1: 1 OD M2 - M3: 1 BD M4 - M5: 2 OD M6 - M7: 2 BD	M0 - M1: 2 TDS M2 - M3: 2 TDS M4 - M5: 2 TDS M6 - M7: 2 TDS	X	X	
Chronic Lymphocytic Leukemia (CLL)/Blood Cancer	X	Stage 0: 1 OD Stage 1: 1 OD Stage 2: 1 BD Stage 3: 2 OD Stage 4: 2 BD	Stage 0: 2 TDS Stage 1: 2 TDS Stage 2: 2 TDS Stage 3: 2 TDS Stage 4: 2 TDS	X	X	Follow Rai Staging
Chronic Myelogenous Leukemia (CML)/Blood Cancer	X	Chronic: 1 BD Accelerated: 2 BD Blast: 2 BD	Chronic: 2 TDS Accelerated: 2 TDS Blast: 2 TDS	X	X	
Mast Cell Leukemia (MCL)/Blood Cancer	X	1 BD	2 BD	X	X	
Others/Unknown Primary	X	X	2 TDS	2 BD	1 BD	
High Risk Individuals due to mutation in BRCA1, BRCA2, p53 or due to Auto-Immune disorders	2 BD	X	1 BD	X	X	
Only to prevent side effects of Chemotherapy/Radiotherapy	1 BD	X	1 BD	X	X	Prescribe only if the patient is looking to minimize the effect of chemotherapy/radiotherapy and not looking for a comprehensive treatment

BharatVed Cancer Formulation Recommended Dosage

Cancer Name	Immunotone	Immunotone Plus	Cancertame	Oncotame	Oncotame Plus	Notes
<p>Note:</p> <ol style="list-style-type: none">1) For children below 12 years of age, all dosage will be half of the above dosage. Also for adults having severe weight loss and weighing below 40kg (35kg for females), the dosage will again be reduced to half till they recover from weakness and hold a weight above 50kg (45kg for females).2) If prescribing Oncotame for Stage 4 cancer of any type then start with 1BD Dosage instead of 2BD, especially when taken along with chemotherapy/radiotherapy. Change to 2BD after 6 months if satisfactory results are not obtained.3) Immunotame Plus, Cancertame, Oncotame are to be initially prescribed for atleast 6 months with visible results appearing in 6-8 weeks. Oncotame Plus will start showing results within 2-4 weeks and should initially be prescribed only for 3 months.4) Recommend the necessary tests at regular interval to check the progres of the patients. PET CT to be prescribed at a gap of 6 months minimum. CT Scan and MRI can be done at a gap of 1-2 month also.5) Post surgery, Immunotone or Cancertame can be given in almost all cases to reduce the chances of recurrence. Dosage would be 1 BD for both for a period of 3 months every year.6) All 5 medications will also help to reduce the side effects of chemotherapy/radiotherapy, at par with Immunotone, and can be given adjuvant alongside conventional treatment <p>Last Updated: 30th of August 2023</p>						